

KNICK EXPLORATION

15-Aug-17 page 1

Trecesson 2011 & 2017 Drilling Au Assays - Average over 0.1 g/t

DDH No.	Sample Number	From (m.)	To (m.)	Width (m)	Au (g/t)	Vein
TR-11-01	B22006	5.90	6.50	0.60	0.49	North
TR-11-01	or	4.75	6.50	1.75	0.18	North
TR-11-02	B22015	9.45	10.25	0.80	0.26	North
TR-11-03	B22021	10.90	11.20	0.30	0.42	North
TR-11-03	B22025	12.40	13.50	1.10	0.38	North
TR-11-03	or	12.40	15.00	2.60	0.17	North
TR-11-03	B22029	11.55	12.60	1.05	0.13	North
TR-11-04	or	10.10	12.60	2.50	0.10	North
TR-11-04	B22032	13.10	13.80	0.70	0.68	North
TR-11-07	B22065	5.00	6.15	1.15	2.00	North
TR-11-09	B22079	12.50	13.50	1.00	0.50	North
TR-11-09	or	10.35	13.50	3.15	0.16	North
TR-11-11	B22097	24.80	25.40	0.60	0.17	North
TR-11-12	B22104	23.75	24.80	1.05	0.1	North
TR-11-13	B22117	5.80	6.60	0.80	0.19	North
TR-11-15	B22132	12.80	13.50	0.70	0.35	North
TR-11-15	or	11.85	14.00	2.15	0.17	North
TR-11-16	B22140	16.20	17.15	0.95	0.13	North
TR-11-16	B22141	17.15	18.10	0.95	0.6	North
TR-11-16	or	14.50	19.00	4.50	0.19	North
TR-11-18	B22177	33.60	35.15	1.55	0.22	North
TR-11-18	B22178	35.15	36.05	0.90	0.31	North
TR-11-18	or	33.60	37.55	3.95	0.16	North
TR-11-19	B22184	8.80	10.00	1.20	10.55	North
TR-11-19	or	8.80	11.50	2.70	4.69	North
TR-11-20	B22190	11.90	12.90	1.00	6.67	North
TR-11-20	or	11.35	14.90	3.55	1.90	North
TR-11-21	B22196	13.20	13.70	0.50	8.22	North
TR-11-21	or	10.70	16.15	5.45	0.77	North
TR-11-22	B22203	16.85	17.90	1.05	3.69	North
TR-11-22	or	15.35	17.90	2.55	1.53	North
TR-11-23	B22212	24.55	25.70	1.15	0.46	North
TR-11-23	or	24.55	27.85	3.30	0.17	North
TR-11-24	B22221	24.95	25.40	0.45	2.87	North
TR-11-24	or	23.45	27.90	4.45	0.30	North
TR-11-25	B22230	4.70	5.60	0.90	0.37	North
TR-11-25	or	3.50	7.70	4.20	0.10	North
TR-11-26	B22236	7.10	8.25	1.15	0.37	North
TR-11-26	or	4.50	10.30	5.80	0.12	North
TR-11-27	B22240	11.50	12.80	1.30	3.97	North
TR-11-27	or	10.00	15.30	5.30	1.00	North
TR-11-28	B22246	15.45	16.40	0.95	0.78	North
TR-11-28	B22247	16.40	16.90	0.50	0.61	North
TR-11-28	or	15.45	19.45	4.00	0.27	North
TR-11-29	B22253	25.40	26.85	1.45	0.34	North
TR-11-29	B22254	26.85	28.10	1.25	0.11	North
		2-3 m	3-4 m	4-5 m	>5 m	

VG

VG

VG

VG

VG

KNICK EXPLORATION

Trecesson 2011 & 2017 Drilling Au Assays - Average over 0.1 g/t

DDH No.	Sample Number	From (m.)	To (m.)	Width (m)	Au (g/t)	Vein
TR-11-29	or	23.20	29.60	6.40	0.11	North
TR-11-31	B22269	5.00	5.80	0.80	2.12	North
TR-11-31	or	3.50	7.30	3.80	0.46	North
TR-11-32	B22273	7.35	8.30	0.95	2.17	North
TR-11-32	or	5.85	9.90	4.05	0.51	North
TR-11-34	B22280	19.40	20.00	0.60	0.58	North
TR-11-34	or	17.90	21.50	3.60	0.12	North
TR-11-35	B22285	25.75	27.25	1.50	0.17	North
TR-11-35	B22286	27.25	27.95	0.70	0.79	North
TR-11-35	B22288	28.30	28.90	0.60	2.13	North
TR-11-35	or	25.75	30.40	4.65	0.45	North
TR-11-36	B22293	34.40	35.05	0.65	0.24	North
TR-11-38	B22303	9.80	10.35	0.55	9.43	North
TR-11-38	B22304	10.35	10.60	0.25	1.46	North
TR-11-38	B22305	10.60	11.75	1.15	0.1	North
TR-11-38	B22306	11.75	13.10	1.35	0.22	North
TR-11-38	or	8.30	14.60	6.30	0.95	North
TR-11-39	B22311	17.35	17.95	0.60	0.51	North
TR-11-39	or	15.90	19.45	3.55	0.10	North
TR-11-44	B22344	21.10	21.50	0.40	1.46	North
TR-11-44	B22346	22.15	23.20	1.05	1.77	North
TR-11-44	or	18.60	26.00	7.40	0.34	North
TR-11-45	B22367	31.20	31.70	0.50	1.17	North
TR-11-45	B22369	32.30	33.40	1.10	1.89	North
TR-11-45	or	31.20	36.30	5.10	0.53	North
TR-11-46	B22378	9.20	9.95	0.75	0.11	North
TR-11-47	B22397	18.25	19.20	0.95	5.77	North
TR-11-47	B22399	19.70	20.10	0.40	3.04	North
TR-11-47	or	15.20	22.00	6.80	0.99	North
TR-11-48	B22409	20.40	21.65	1.25	0.19	North
TR-11-48	B22410	21.65	22.40	0.75	16.9	North
TR-11-48	B22411	22.40	23.20	0.80	0.17	North
TR-11-48	B22412	23.20	23.40	0.20	7.72	North
TR-11-48	or	16.50	29.00	12.50	1.18	North
TR-11-49	B22431	32.30	33.20	0.90	0.38	North
TR-11-49	or	31.40	34.30	2.90	0.13	North
TR-11-50	B22435	8.55	9.15	0.60	0.14	North
TR-11-51	B22445	4.45	5.00	0.55	1.24	South
TR-11-51	or	2.95	5.00	2.05	0.34	South
TR-11-52	B22448	5.40	6.90	1.50	0.22	South
TR-11-52	B22449	6.90	7.60	0.70	6.26	South
TR-11-52	B22450	7.60	7.90	0.30	0.31	South
TR-11-52	B22451	7.90	9.10	1.20	0.16	South
TR-11-52	or	5.40	10.20	4.80	1.04	South
TR-11-53	B22455	11.80	12.20	0.40	5.16	South
TR-11-54	B22465	13.70	14.50	0.80	1.83	South

VG

VG

VG

VG

VG

VG

2-3 m 3-4 m 4-5 m >5 m

KNICK EXPLORATION

Trecesson 2011 & 2017 Drilling Au Assays - Average over 0.1 g/t

DDH No.	Sample Number	From (m.)	To (m.)	Width (m)	Au (g/t)	Vein	
TR-11-54	B22467	14.50	15.90	1.40	0.12	South	
TR-11-54	or	13.70	15.90	2.20	0.74	South	
TR-11-55	B22469	20.00	21.50	1.50	0.28	South	
TR-11-55	B22470	21.50	22.20	0.70	16.46	South	VG
TR-11-55	B22471	22.20	23.30	1.10	0.66	South	
TR-11-55	or	20.00	24.80	4.80	2.65	South	
TR-11-56	B22477	26.60	28.10	1.50	4.68	South	
TR-11-56	or	25.10	31.05	5.95	1.19	South	VG
TR-11-57	B22483	5.95	6.80	0.85	15.48	South	VG
TR-11-57	B22484	6.80	7.55	0.75	2.88	South	
TR-11-57	or	4.45	9.05	4.60	1.21	South	
TR-11-58	B22487	9.50	10.00	0.50	5.18	South	VG
TR-11-58	B22488	10.00	10.75	0.75	1.49	South	
TR-11-58	or	8.00	12.40	4.40	0.85	South	
TR-11-60	B22497	16.70	17.15	0.45	0.62	South	
TR-11-60	or	16.70	18.35	1.65	0.20	South	
TR-11-61	B22502	23.00	24.50	1.50	33.10	South	
TR-11-61	B22504	24.50	26.00	1.50	1.61	South	
TR-11-61	B22959	26.00	26.80	0.80	2.47	South	
TR-11-61	or	21.50	28.30	6.80	7.96	South	
TR-11-62	B22508	4.20	4.40	0.20	0.16	South	
TR-11-62	B22509	27.30	28.70	1.40	0.16	South	
TR-11-62	B22510	28.70	29.00	0.30	38.03	South	VG
TR-11-62	or	27.30	33.90	6.60	1.79	South	
TR-11-63	B22518	4.10	4.50	0.40	3.32	South	
TR-11-63	or	2.60	4.50	1.90	0.71	South	
TR-11-64	B22524	6.10	7.20	1.10	5.81	South	VG
TR-11-64	or	4.60	8.70	4.10	1.56	South	
TR-11-65	B22527	12.90	14.00	1.10	3.73	South	
TR-11-65	or	11.40	14.00	2.60	1.58	South	
TR-11-66	B22534	17.60	17.80	0.20	0.64	South	
TR-11-66	or	16.00	17.80	1.80	0.15	South	
TR-11-67	B22537	23.90	24.05	0.15	1.19	South	
TR-11-67	or	22.40	24.05	1.65	0.12	South	
TR-11-67	B22542	26.95	27.35	0.40	62.83	South	VG
TR-11-67	or	26.10	27.35	1.25	20.13	South	
TR-11-67	B22544	28.65	29.90	1.25	0.54	South	
TR-11-67	or	28.65	31.00	2.35	0.29	South	
TR-11-68	B22550	34.55	34.95	0.40	0.37	South	
TR-11-68	or	34.55	36.10	1.55	0.10	South	
TR-11-69	B22557	9.20	10.40	1.20	1.68	South	
TR-11-69	B22559	11.00	12.50	1.50	0.38	South	
TR-11-69	or	7.70	12.50	4.80	0.55	South	
TR-11-70	B22563	9.30	9.90	0.60	5.72	South	
TR-11-70	or	7.80	12.80	5.00	0.71	South	
TR-11-71	B22568	16.55	16.80	0.25	4.54	South	
		2-3 m	3-4 m	4-5 m	>5 m		

KNICK EXPLORATION

Trecesson 2011 & 2017 Drilling Au Assays - Average over 0.1 g/t

DDH No.	Sample Number	From (m.)	To (m.)	Width (m)	Au (g/t)	Vein
TR-11-71	or	15.05	16.80	1.75	0.66	South
TR-11-72	B22576	19.00	19.20	0.20	0.31	South
TR-11-72	B22577	19.20	20.05	0.85	0.11	South
TR-11-72	or	19.00	20.05	1.05	0.15	South
TR-11-73	B22585	24.10	24.65	0.55	8.13	South
TR-11-73	or	22.60	24.65	2.05	2.19	South
TR-11-73	B22587	25.10	26.05	0.95	41.87	South
TR-11-73	or	25.10	27.55	2.45	16.25	South
TR-11-74	B22590	30.30	31.50	1.20	0.45	South
TR-11-74	B22591	31.50	32.30	0.80	0.25	South
TR-11-74	or	30.30	32.30	2.00	0.37	South
TR-11-78	B22603	6.10	6.80	0.70	2.19	South
TR-11-78	B22604	6.80	8.25	1.45	13.65	South
TR-11-78	B22606	9.50	10.80	1.30	0.72	South
TR-11-78	or	6.10	12.30	6.20	3.61	South
TR-11-80	B22617	22.85	24.35	1.50	0.17	South
TR-11-81	B22624	6.65	6.85	0.20	0.15	South
TR-11-83	B22638	10.80	11.60	0.80	0.10	South
TR-11-84	B22645	13.30	14.80	1.50	0.10	South
TR-11-86	B22650	19.80	21.40	1.60	1.71	South
TR-11-86	B22651	39.60	39.90	0.30	0.26	South
TR-11-86	B22659	48.95	49.80	0.85	0.31	South
TR-11-86	B22660	49.80	50.50	0.70	0.17	South
TR-11-86	or	48.95	51.80	2.85	0.14	South
TR-11-87	B22664	4.40	4.95	0.55	3.11	South
TR-11-87	or	2.90	4.95	2.05	0.84	South
TR-11-88	B22669	6.50	7.70	1.20	5.19	South
TR-11-88	B22670	7.70	8.80	1.10	0.11	South
TR-11-88	or	5.00	10.10	5.10	1.25	South
TR-11-89	B22673	11.90	12.75	0.85	5.67	South
TR-11-89	or	10.40	14.00	3.60	1.35	South
TR-11-90	B22676	12.05	13.55	1.50	0.19	South
TR-11-90	B22678	13.55	14.00	0.45	12.31	South
TR-11-90	B22679	14.00	15.50	1.50	0.183	South
TR-11-90	or	12.05	15.50	3.45	1.77	South
TR-11-91	B22681	20.50	21.20	0.70	13.60	South
TR-11-91	or	19.00	23.40	4.40	2.19	South
TR-11-92	B22686	24.80	25.20	0.40	6.63	South
TR-11-92	or	23.30	27.65	4.35	0.62	South
TR-11-93	B22707	18.40	19.90	1.50	0.24	South
TR-11-94	B22719	24.70	25.80	1.10	0.29	South
TR-11-94	or	24.70	27.40	2.70	0.13	South
TR-11-97	B22787	9.40	9.85	0.45	5.80	South
TR-11-97	or	6.90	12.70	5.80	0.48	South
TR-11-98	B22794	11.80	12.30	0.50	10.76	South
TR-11-98	B22795	12.30	13.85	1.55	0.10	South
		2-3 m	3-4 m	4-5 m	>5 m	

VG

VG

VG

VG

VG

VG

VG

KNICK EXPLORATION

Trecesson 2011 & 2017 Drilling Au Assays - Average over 0.1 g/t

DDH No.	Sample Number	From (m.)	To (m.)	Width (m)	Au (g/t)	Vein
TR-11-98	or	9.70	17.10	7.40	0.77	South
TR-11-100	B22807	8.65	9.00	0.35	1.03	South
TR-11-100	B22809	9.90	10.90	1.00	0.31	South
TR-11-100	or	7.15	10.90	3.75	0.19	South
TR-11-103	B22845	5.90	7.15	1.25	0.72	North
TR-11-103	or	5.90	8.70	2.80	0.33	North
TR-11-104	B22855	9.40	9.65	0.25	1.35	North
TR-11-104	B22857	10.80	12.40	1.60	0.16	North
TR-11-104	or	6.75	12.40	5.65	0.12	North
TR-11-105	B22863	16.80	18.30	1.50	0.65	North
TR-11-105	or	15.30	19.50	4.20	0.25	North
TR-11-106	B22870	26.90	27.80	0.90	0.61	North
TR-11-106	or	25.90	30.20	4.30	0.14	North
TR-11-107	B22879	30.30	31.50	1.20	0.24	North
TR-11-107	or	30.30	33.00	2.70	0.11	North
TR-11-107	B22881	35.20	36.80	1.60	0.37	North
TR-11-107	or	34.40	38.00	3.60	0.17	North
TR-11-109	B22890	3.90	5.30	1.40	0.35	North
TR-11-109	B22891	5.30	6.10	0.80	0.16	North
TR-11-109	or	2.70	7.60	4.90	0.13	North
TR-11-110	B22894	10.20	10.85	0.65	0.77	North
TR-11-110	or	9.10	10.85	1.75	0.30	North
TR-11-111	B22902	17.60	18.70	1.10	20.50	North
TR-11-111	or	16.10	18.70	2.60	8.68	North
TR-11-112	B22910	22.05	23.00	0.95	0.27	North
TR-11-112	B22912	23.80	25.00	1.20	0.25	North
TR-11-112	or	22.05	27.00	4.95	0.13	North
TR-11-113	B22919	32.50	33.10	0.60	1.05	North
TR-11-113	or	31.35	34.60	3.25	0.23	North
TR-11-114	B22926	48.40	49.30	0.90	7.78	North
TR-11-114	or	46.15	51.10	4.95	1.43	North
TR-11-114	B22930	57.15	58.20	1.05	1.72	North
TR-11-116	B22938	16.65	17.80	1.15	1.10	North
TR-11-116	or	16.65	19.30	2.65	0.48	North
TR-11-116	B22940	24.10	25.55	1.45	0.93	North
TR-11-116	or	22.60	27.05	4.45	0.31	North
TR-11-119	B22816	8.40	9.10	0.70	0.26	South
TR-11-119	B22817	9.10	9.95	0.85	41.47	South
TR-11-119	or	8.40	10.40	2.00	17.72	South
TR-11-119	B22823	19.90	20.35	0.45	0.25	South
TR-11-119	B22826	22.10	22.30	0.20	95.72	South
TR-11-119	or	19.10	23.80	4.70	4.11	South
TR-11-120	B22830	10.55	11.90	1.35	0.36	South
TR-11-120	B22831	11.90	13.35	1.45	0.12	South
TR-11-120	or	10.55	14.10	3.55	0.19	South
TR-11-120	B22837	25.55	26.00	0.45	0.23	South

VG

VG

VG

VG

2-3 m 3-4 m 4-5 m >5 m

KNICK EXPLORATION

Trecesson 2011 & 2017 Drilling Au Assays - Average over 0.1 g/t

DDH No.	Sample Number	From (m.)	To (m.)	Width (m)	Au (g/t)	Vein
TR-11-120	or	25.00	26.00	1.00	0.13	South
TR-11-121	B22840	15.10	16.20	1.10	1.01	South
TR-11-121	or	13.60	17.70	4.10	0.30	South
TR-17-01	E15025	65.30	66.00	0.70	9.09	South
TR-17-01	E15027	66.50	67.50	1.00	0.72	South
TR-17-01	or	64.30	67.50	3.20	2.24	South
TR-17-02	E15045	45.30	46.20	0.90	0.23	South
TR-17-02	E15047	46.90	47.60	0.70	3.29	South
TR-17-02	E15049	49.05	49.80	0.75	828.18	South
TR-17-02	E15050	49.80	50.90	1.10	0.73	South
TR-17-02	E15051	50.90	51.95	1.05	3.05	South
TR-17-02	or	45.30	54.95	9.65	65.01	South
TR-17-02	E15052	66.25	67.20	0.95	0.10	South
TR-17-02	E15053	73.95	75.40	1.45	0.12	South
TR-17-02	E15054	75.40	76.80	1.40	0.38	South
TR-17-02	E15055	76.80	77.20	0.40	0.597	South
TR-17-02	or	72.45	77.20	4.75	0.20	South
TR-17-03	E15060	27.55	27.85	0.30	2.97	South
TR-17-03	E15066	30.60	31.05	0.45	0.60	South
TR-17-03	or	25.00	33.70	8.70	0.17	South
TR-17-04	E15071	11.65	12.65	1.00	0.27	South
TR-17-04	E15072	12.65	13.35	0.70	0.41	South
TR-17-04	or	10.15	16.00	5.85	0.10	South
TR-17-04	E15083	22.10	23.00	0.90	0.33	South
TR-17-04	E15089	28.85	30.30	1.45	0.18	South
TR-17-04	or	20.80	30.30	9.50	0.10	South
TR-17-10	E15207	24.75	25.25	0.50	4.8	South
TR-17-10	E15208	25.25	25.80	0.55	1.85	South
TR-17-10	or	24.10	28.10	4.00	0.87	South
TR-17-12	E15276	106.60	107.90	1.30	0.40	North
TR-17-12	E15279	110.50	111.00	0.50	0.12	North
TR-17-12	or	106.60	111.00	4.40	0.15	North
TR-17-13	E15302	59.00	59.70	0.70	3.19	North
TR-17-13	or	59.00	62.35	3.35	0.61	North
TR-17-14	E15330	89.25	89.80	0.55	0.95	North
TR-17-14	E15331	89.80	90.85	1.05	0.39	North
TR-17-14	or	88.10	90.85	2.75	0.34	North
TR-17-15	E15353	63.05	63.60	0.55	0.89	North
TR-17-15	or	61.80	65.10	3.30	0.17	North
TR-17-16	E15374	90.60	91.75	1.15	0.12	North
TR-17-17	E15396	43.50	44.10	0.60	2.23	North
TR-17-17	or	42.60	45.50	2.90	0.48	North
TR-17-19	E15419	9.50	10.40	0.90	0.10	North
TR-17-19	E15432	55.00	55.70	0.70	44.16	North
TR-17-19	E15433	55.70	57.20	1.50	0.12	North
TR-17-19	or	53.10	59.40	4.30	7.24	North

VG

VG

VG

2-3 m
3-4 m
4-5 m
>5 m

KNICK EXPLORATION

page 7

Trecesson 2011 & 2017 Drilling Au Assays - Average over 0.1 g/t

DDH No.	Sample Number	From (m.)	To (m.)	Width (m)	Au (g/t)	Vein
TR-17-23	E15500	105.30	105.60	0.30	0.15	South
TR-17-24	E15551	53.80	55.20	1.40	0.84	South
TR-17-24	or	53.80	56.00	2.20	0.54	South
TR-17-24	E15560	62.60	63.55	0.95	0.16	South
TR-17-24	E15566	68.00	69.50	1.50	0.16	South
TR-17-27	E15582	54.40	55.05	0.65	10.32	South
TR-17-27	E15583	55.05	55.65	0.60	0.38	South
TR-17-27	E15584	55.65	56.30	0.65	0.33	South
TR-17-27	or	54.00	58.15	4.15	1.73	South
TR-17-27	E15592	62.05	62.90	0.85	0.9	South
TR-17-29	E15645	103.00	104.50	1.50	0.56	South
TR-17-29	E15648	106.15	107.00	0.85	0.10	South
TR-17-29	E15652	110.40	110.70	0.30	0.38	South
TR-17-29	E15653	110.70	111.90	1.20	0.12	South
TR-17-29	or	103.00	117.50	14.50	0.11	South
TR-17-32	E15714	55.70	57.20	1.50	0.22	South
TR-17-32	or	54.00	57.20	3.20	0.11	South
		2-3 m	3-4 m	4-5 m	>5 m	

VG
VG